

# PSTAT 5A Practice Worksheet 3

## Comprehensive Review: Probability, Counting, and Conditional Probability

Student Name: \_\_\_\_\_

2025-07-29

### Table of contents

<b>1</b>	<b>Instructions and Overview</b>	<b>1</b>
<b>2</b>	<b>Section A: Probability</b>	<b>2</b>
<b>3</b>	<b>Section B: Permutations and Combination</b>	<b>2</b>
<b>4</b>	<b>Section C: Conditional Probability</b>	<b>3</b>
<b>5</b>	<b>Section C: Conditional Probability</b>	<b>3</b>
<b>6</b>	<b>Section D: Review</b>	<b>4</b>

### 1 Instructions and Overview

#### Time Allocation:

- **Section A (Warm-up):** 8 minutes
- **Section B (Intermediate):** 15 minutes
- **Section C (Advanced):** 15 minutes
- **Section D (Review):** 12 minutes
- **Total:** 50 minutes

#### Important Instructions:

- Use the formulas provided for guidance
- Round final answers to 4 decimal places unless otherwise specified
- Identify your approach before calculating
- Use calculator as needed

#### Key Formulas Reference:

#### Basic Probability:

- **Conditional Probability:**  $P(A|B) = \frac{P(A \cap B)}{P(B)}$
- **Bayes' Theorem:**  $P(A|B) = \frac{P(B|A) \cdot P(A)}{P(B)}$
- **Law of Total Probability:**  $P(A) = \sum P(A|B_i) \cdot P(B_i)$
- **Addition Rule:**  $P(A \cup B) = P(A) + P(B) - P(A \cap B)$
- **Multiplication Rule:**  $P(A \cap B) = P(A) \cdot P(B|A) = P(B) \cdot P(A|B)$

**Counting:**

- **Permutations:**  $P(n, r) = \frac{n!}{(n-r)!}$
- **Combinations:**  $C(n, r) = \binom{n}{r} = \frac{n!}{r!(n-r)!}$

## 2 Section A: Probability

*Estimated time: 8 minutes*

### Problem A1: Probability Distributions

Each row in the table below is a proposed grade distribution for a class. Identify each as a valid or invalid probability distribution, and explain your reasoning.

Class	A	B	C	D	F
(a)	0.3	0.3	0.3	0.2	0.1
(b)	0	0	1	0	0
(c)	0.3	0.3	0.3	0	0
(d)	0.3	0.5	0.2	0.1	-0.1
(e)	0.2	0.4	0.2	0.1	0.1
(f)	0	-0.1	1.1	0	0

**Work Space:**

## 3 Section B: Permutations and Combination

*Estimated time: 15 minutes*

### Problem B1: Permutations and Combinations

A cybersecurity team needs to create a secure access protocol.

**Part (a):** How many 6-character passwords can be formed using 3 specific letters and 3 specific digits if repetitions are not allowed and letters must come before digits?

 **Tip**

Since letters must come before digits, think of this as two separate arrangement problems:

- First, arrange the 3 letters in the first 3 positions
- Then, arrange the 3 digits in the last 3 positions

- Use the multiplication principle to combine these results

**Part (b):** If the team wants to select 4 people from 12 employees to form a security committee where order doesn't matter, how many ways can this be done?

#### Tip

Since order doesn't matter, this is a combination problem. Ask yourself:

- Are we arranging people in specific positions, or just selecting a group?
- Which formula should you use:  $P(n, r)$  or  $C(n, r)$ ?

**Work Space:**

## 4 Section C: Conditional Probability

*Estimated time: 15 minutes*

### Problem B1: Conditional Probability and Medical Testing

A new COVID variant test has the following characteristics:

- The variant affects 3% of the tested population
- The test correctly identifies 95% of people with the variant (sensitivity)
- The test correctly identifies 92% of people without the variant (specificity)

**Part (a):** What is the probability that a randomly selected person tests positive?

**Part (b):** If someone tests positive, what is the probability they actually have the variant?

**Part (c):** If someone tests negative, what is the probability they actually don't have the variant?

**Part (d) [Challenge]:** The health department wants to reduce false positives. They decide to require two consecutive positive tests for a positive diagnosis. Assuming test results are independent, what is the new probability that someone with two positive tests actually has the variant?

**Work Space:**

## 5 Section C: Conditional Probability

*Estimated time: 15 minutes*

### Problem C1: Advanced Counting with Restrictions

A restaurant offers a prix fixe menu where customers must choose:

- 1 appetizer from 6 options
- 1 main course from 8 options
- 1 dessert from 5 options

However, there are restrictions:

- If you choose the seafood appetizer, you cannot choose the vegetarian main course
- If you choose the chocolate dessert, you must choose either the beef or chicken main course (3 of the 8 main courses)

**Part (a):** How many valid meal combinations are possible?

**Part (b):** If customers choose randomly among valid combinations, what is the probability someone chooses the chocolate dessert?

**Work Space:**

## 6 Section D: Review

*Estimated time: 12 minutes*

### Problem B3: Daily Expenses

Sally gets a cup of coffee and a muffin every day for breakfast from one of the many coffee shops in her neighborhood. She picks a coffee shop each morning at random and independently of previous days. The average price of a cup of coffee is \$1.40 with a standard deviation of 30¢ (\$0.30), the average price of a muffin is \$2.50 with a standard deviation of 15¢, and the two prices are independent of each other.

**Part (a):** What is the mean and standard deviation of the amount she spends on breakfast daily?

**Part (b):** What is the mean and standard deviation of the amount she spends on breakfast weekly (7 days)?

**Work Space:**